

- a) ændringer i antallet af anlæg specificeret i protokollen vedrørende en bestemt overvågningsteknologi; og
- b) ændringer for så vidt angår andre detaljer vedrørende særlige anlæg, jfr. tabellerne i bilag 1 til protokollen (bl.a. spørgsmål om staten, som er ansvarlig for et anlæg; beliggenhed; betegnelse af anlægget; type af anlæg; samt henføring af et anlæg mellem seismologiske primære- og hjælpenetværk).

Såfremt Eksekutivrådet i henhold til artikel VII, paragraf 8 d) anbefaler, at sådanne ændringer vedtages, skal det som hovedregel også i henhold til artikel VII, paragraf 8 g) anbefale, at sådanne ændringer træder i kraft ved Generaldirektørens notifikation om deres godkendelse.

25. Generaldirektøren skal, når oplysninger og vurderinger fremsendes til Eksekutivrådet og deltagerstater i overensstemmelse med artikel VII, paragraf 8 b), for så vidt angår et hvilket som helst forslag, som er stillet i henhold til paragraf 24, lade disse omfatte:

- a) en teknisk vurdering af forslaget;
- b) en udtalelse om den administrative og finansielle virkning af forslaget; og
- c) en rapport om konsultationer med stater, som direkte berøres af forslaget, herunder en tilkendegivelse om deres enighed.

Midlertidige foranstaltninger

26. I tilfælde af et betydningsfuldt eller uopretteligt sammenbrud af et overvågningsanlæg specificeret i tabellerne i bilag 1 til protokollen, eller med henblik på at erstatte andre midlertidige reduktioner i overvågningsdækningen, skal Generaldirektøren efter konsultation og aftale med de direkte berørte stater, og med Eksekutivrådets godkendelse, iværksætte midlertidige foranstaltninger af højst ét års varighed, som om nødvendigt vil kunne forlænges efter aftale med Eksekutivrådet og de direkte berørte stater for yderligere ét år. Sådanne foranstaltninger må ikke bevirke, at antallet af Det Internationale Overvågningssystem's operationelle anlæg overstiger det antal, som er specificeret for det pågældende netværk; skal i videst mulig udstrækning opfylde de tekniske og operationelle krav specificeret i den operationelle vejledning for det pågældende netværk; og skal udføres inden

- (a) Changes to the number of facilities specified in the Protocol for a given monitoring technology; and
- (b) Changes to other details for particular facilities as reflected in the Tables of Annex 1 to the Protocol (including, inter alia, State responsible for the facility; location; name of facility; type of facility; and attribution of a facility between the primary and auxiliary seismic networks).

If the Executive Council recommends, pursuant to Article VII, paragraph 8 (d), that such changes be adopted, it shall as a rule also recommend pursuant to Article VII, paragraph 8 (g), that such changes enter into force upon notification by the Director-General of their approval.

25. The Director-General, in submitting to the Executive Council and States Parties information and evaluation in accordance with Article VII, paragraph 8 (b), shall include in the case of any proposal made pursuant to paragraph 24:

- (a) A technical evaluation of the proposal;
- (b) A statement on the administrative and financial impact of the proposal; and
- (c) A report on consultations with States directly affected by the proposal, including indication of their agreement.

Temporary Arrangements

26. In cases of significant or irretrievable breakdown of a monitoring facility specified in the Tables of Annex 1 to the Protocol, or in order to cover other temporary reductions of monitoring coverage, the Director-General shall, in consultation and agreement with those States directly affected, and with the approval of the Executive Council, initiate temporary arrangements of no more than one year's duration, renewable if necessary by agreement of the Executive Council and of the States directly affected for another year. Such arrangements shall not cause the number of operational facilities of the International Monitoring System to exceed the number specified for the relevant network; shall meet as far as possible the technical and operational requirements specified in the operational manual for the relevant network; and shall be conducted within the budget of the Organization. The Di-